This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:	}	(11) International Publication Number: WO 00/40104
A24B 15/28, A24D 1/02, 3/16	A1	(43) International Publication Date: 13 July 2000 (13.07.00)
(21) International Application Number: PCT/KR (22) International Filing Date: 1 February 1999 (DE, DK, ES, FI, GB, HU, ID, IL, IS, JP, KP, KZ, LK, LU,
(30) Priority Data: 1998/63927 30 December 1998 (30.12.9) (71)(72) Applicants and Inventors: CHOI, Sang-Gu [509-1102, Daedong, Town Ja-Dong, 1288, Haeur Pusan 612-030 (KR). KIM, Jong-Ung [KR/KR] Jungbu Dong Yangsan, Kyungnam 626-050 (KR).	[KR/KR ndae-G	iu,
(74) Agent: KIM, Young, Ok; 1242-7, Yeonsan Yeonje-ku, Pusan 611-085 (KR).	5–Don	ng,

(54) Title: A TOBACCO ADDED LOESS AND ITS MANUFACTURING METHOD

(57) Abstract

The present invention is directed to manufacture a tobacco added loess which relieve the harm of smoking to human body by removing the poisonous chemicals in tobacco. Particularly, not only oxide compounds in the constituents of loess but also the iron oxides as additives react to the monoxide in tobacco smoke, whereby the concentration of monoxide is decreased remarkably. For the health of smokers or nonsmokers exposed to the tobacco smoke, the harmful chemicals in the smoke are easely and safely reduced by the chemical reactions and the molecular sieve effect of loess. The main embodiment of the present invention is directed to manufacture a tobacco added loess and iron oxide chemicals (Fe₂O₃,FeO) as additive if necessary. The dried fine loess under the particle size of 250 mesh or the diluted loess under the paticle size of mesh 250 blend with the tobacco leaves, paper and filter so that the mixed tobacco materials introduce the appropriate stage for the manufacturing process of the various tobacco materials added loess and iron oxide chemicals (Fe₂O₃, FeO) as additive if necessary, in order to make loess as a vital ingredient of tobacco materials, diluting, extracting, dehydrating, grinding, purifying, immersing and blending process are essential embodiments of the present invention.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

A tobacco added loess and its manufacturing method

Technical field

The present invention relates to tobacco added loess as a ingredient, and particularly manufacturing methods for the tobacco that the concentrations of harmful chemicals in the tobacco smo are decreased by the reactions with the elements of loess.

Background Art

10

15

20

25

30

According to a scientific report on the tobacco smoke, contains more than 3,800 chemicals, many of them are poisonou Among them 43 chemicals that are known to cause cance Especially, carbon monoxide in the smoke is an odourless. colourle and poisonous gas. Carbon monoxide interferes with the uptake oxygen in the lungs and with its release from the blood to the tissue that need it.

When carbon monoxide is inhaled, it combines wit hemoglobin in the blood. It reduces the amount of oxygen availab to the body's vital organs. In heavy smokers, carbon monoxide ca severely reduce the amount of oxygen carried by the blood. Oxyge levels may be reduced by as much as 15 percent.

Most smokers acknowledge the harm of tobacco but hard stop the smoking by oneself because of the addiction. For th reason, merchandise related to nonsmoking aids such as tobacc pipes, nicotine removers,.. and chewing gums are actively investigat for the health of smoker. But unfortunately most of nonsmoking ai are ineffective because they can not prevent the poisonous chemica of smoke in a primary way.

For the foregoing reasons, there is a need for a tobacco s that the harmful chemicals in the smoke are easily and safely reduce for the health of smokers or nonsmokers exposed to the tobacc smoke.

Disclosure of Invention

The present invention is directed to manufacturing a tobacc

-2-

5

10

15

20

25

30

35

added loess that reduce the carbon monoxide in the tobacco smoke. Consequently, the reduction of the carbon monoxide content in the smoke and the adsorptions of harmful chemicals into the porous loess are achieved by manufacturing the loess as an ingredient of tobacco which is main embodiment of present invention.

Loess is well known as antitoxin material in the native medicin in Korea. Recently the efficacies of loess is widely acknowledged a a biomaterial. The application of this material covers the production related to beds, a cloths and especially constructing materials.

Loess consists 40-80% of Quartz, 10-20% of Mica a Feldspar, 5-35% of Carbonate Mineral and 2-5% of Silt. In formation, silt contains the heavy minerals such as Hornblend Apatite, Biotite, Chlorite, Kyanite, Epidote, Garnet, Augite, Ruti Sillimanite, Staurolite, Tourmaline, and Zirocon. The chemic ingredient of the loess consists 50-60% of SiO_2 , 8-12% of $Al_2O_2-4\%$ of Al_2O_3 , Al_2O_3 ,

Consequently, it is an object of the present invention provide a tobacco which reduce the harmful chemicals in the smok while the taste of tobacco is not changed. The active iron oxide (Fe_2O_3, FeO) of loess in the tobacco burning react with the carbo monoxide so that the content of CO is decreased resulting increase of CO_2 while in the smoking.

Another object of the present invention is to provid efficacies concerning the adsorbing operation on the harmf chemicals. The large porosity of loess adsorb the poisonou chemicals in the tobacco smoke. In the microscopic view, the conta between tobacco smoke and the refined loess in the fine mixture bring the adsorption of harmful chemicals into the porous loess s that the porous loess operate on harmful chemicals in smoke actin

-3-

as molecular sieves.

10

15

20

25

30

35

A further object of the present invention is directed to enhance innocuous content in the tobacco smoke. Not only the health for smoker but also for nonsmoker's exposed to the smoke should be protected in a primary way. The less out gas rate and content of CO with the ingredient help to diminish the harmful effect of the smoke.

Other objects and further scope of applicability of the presen invention will become apparent from the detailed description give hereinafter.

Best Mode for Carrying out the Invention

The present invention will become more fully understood fro the detailed description given hereinbelow and the accompanyin processes and experiments which are given by way of illustrations.

In order to make loess as a useful ingredient of tobacco, the special treatments are necessary for the efficacies. The loess dilute by water is extracted by a sieve (Recommend under the size of mes 250). The extracted loess is dehydrated using weak heat so that no chemical reaction occurs (Recommend to dry in the nature circumstance).

For making more fine ingredient, the dried loess is grinde under the particle size of 250 mesh. After grinding loess, a purifyin process is required for removing the buoyant contaminations using a blow.

The tobacco leaves blend with the purified Loess having iron oxide chemicals as additives if necessary.

A soaking process of the blended tobacco leaves with th appropriate duration and temperature or a dehydrating process of th soaked tobacco leaves are also necessary for the manufacturin tobacco added loess.

Referring now in detail to the illustrating preferred embodimen of the present invention;

Illustration 1

A tobacco added loess is fabricated according to followin

PCT/KR99/00050

-4-

steps of;

5

10

15

20

25

30

WO 00/40104

- a) diluting loess using water;
- b) extracting the diluted loess using a sieve;
- c) dehydrating the minute loess using weak heat;
- d) grinding the dried loess under the particle size of 25 mesh;
 - e) purifying the fine loess using air blow;
 - f) blending the refined loess having iron oxide chemicals a additive if necessary, with tobacco's leaves; and
- g) introducing the blended tobacco's leaves in an appropria stage for manufacturing the tobacco.

Illustration 2

A tobacco added loess is fabricated according to followin steps of;

- a) diluting loess using water;
- b) extracting the diluted loess in water using a sieve;
- c) dehydrating the minute loess using weak heat;
- d) grinding the dried loess under the particle size of 25 mesh;
 - e) purifying the fine loess using air blow;
- f) diluting the refined loess having iron oxide chemicals a additive if necessary, to an optimum concentration using water;
 - g) immersing tobacco's leaves into the diluted loess;
 - h) dehydrating the immersed tobacco's leaves; and
- i) introducing the blended tobacco's leaves in an appropria stage for manufacturing the tobacco.

Illustration 3

A tobacco paper added loess is fabricated according a recited in illustration 2 further including the steps of;

- a) immersing the tobacco paper into the diluted loess havin iron oxide chemicals as additive if necessary;
 - b) dehydrating the immersed tobacco paper; and
- c) introducing the processed tobacco paper in the appropriat stage for making the tobacco.

35 Illustration 4

Result 1-2.

For the first time suction, the concentration of CO gas resul 30ppm while the 2nd. times of suction reveal 60ppm. Accordingly, the concentration is about 30ppm.

-6-

Result 1-3.

5

10

15

20

25

30

35

For the first time suction, the concentration of CO gas resul 30ppm while the 2nd times of suction reveal 120ppm. According the concentration is about 60ppm.

Result 1-4.

For the first time suction, the concentration of CO gas resul 25ppm while the 2nd. times of suction reveal 70ppm. Accordingly, th concentration is about 35ppm.

Result 1-5

For the first time suction, the concentration of CO gas resul 20ppm while the 2nd. times of suction reveal 45ppm. Accordingly, th concentration is about 23ppm.

Experiment 2;

The samples of ordinary tobacco not added loess or iro oxides were detected for the carbon monoxide (CO) concentration the tobacco smoke.

Result 2-1

For the first time suction, the concentration of CO gas resul 40ppm while the 2nd times of suction reveal over 500ppm Accordingly, the concentration is over 250ppm.

Result 2-2

For the first time suction, the concentration of CO gas resul 110ppm while the 2nd times of suction reveal over 500ppm Accordingly, the concentration is over 250 ppm.

Result 2-3

For the first time suction, the concentration of CO gas resul 190ppm while the 2nd times of suction reveal over 500ppm Accordingly, the concentration is over 250ppm.

Chemical formula 1

$$Fe_2O_3 + 3CO \rightarrow 2Fe + 3CO_2$$

 $FeO + CO \rightarrow Fe + CO_2$

According to the experiment results, the concentration of CO containing in the ordinary tobacco smoke hold over 250 ppm. But the results according to the present invention of tobacco added loess show that the concentration indicate the values under 60ppm. As seen on the tangible results, the loess with the appropriate amount of iron oxides as a vital ingredient of tobacco operate the reduction for the CO concentration remarkably. While in the smoking, FeO, Fe₂O₃, CaO and MgO of loess are not stable compounds in the burning temperature of 900–1,000 celsius degree. Therefore the reactions between the carbon monoxide and oxides compounds in the loess conducts the reduction of carbon monoxide. The oxygen compounds in the loess or iron oxides (Fe₂O₃, FeO) inserted for the reinforcement easily react in the high temperature with the carbon monoxides providing the increase of carbon dioxides in the smoke as shown on the chemical formula 1.

Industrial Applicability

As illustrated in the above, the present invention is ve practical and useful in that the loess can reduce the harmful an poisonous smoke in a certain way. Therefore this invention decreas the pollution caused by the poisonous smoke of tobacco remarkab The chemicals in the tobacco smoke are known to cause headache nausea, vomiting, abdominal pain, diarrhoea, and cancer. Especia Carbon monoxide in tobacco smoke is an odorless, colourles poisonous gas. The decrease of carbon monoxide and toxic smok by the chemical reactions and the adsorption by the porous loes minimize the danger of poisonous effect of smoking. This prima protection from the harmful smoke is accomplished not only f smoker health but also for nonsmoker environment. These advantag strongly support the industrial applicability of the present invention.

30

10

15

20

25

-8-

What Is Claimed Is

5

10

25

30

- 1. A method for manufacturing a tobacco added loess comprising the steps of:
 - a) diluting loess using water;
 - b) extracting the diluted loess using a sieve;
 - c) dehydrating the minute loess using weak heat;
- d) grinding the dried loess under the particle size of 250 mesh;
 - e) purifying the fine loess using air blow;
- f) blending the refined loess having iron oxide chemicals as additive if necessary, with tobacco's leaves; and
- g) introducing the blended tobacco's leaves in an appropriate stage for manufacturing the tobacco.
- 2. A method for manufacturing a tobacco added loess comprising the steps of:
 - a) diluting loess using water;
 - b) extracting the diluted loess in water using a sieve;
 - c) dehydrating the minute loess using weak heat;
- d) grinding the dried loess under the particle size of 250 mesh;
 - e) purifying the fine loess using air blow;
 - f) diluting the refined loess having iron oxide chemicals as additive if necessary, to an optimum concentration using water:
 - g) immersing tobacco's leaves into the diluted loess;
 - h) dehydrating the immersed tobacco's leaves; and
 - i) introducing the blended tobacco's leaves in an appropriate stage for manufacturing the tobacco.
 - 3. A method for manufacturing tobacco paper added loess as recited in claim 2 further including the steps of;
 - a) immersing the tobacco paper into the diluted loess having iron oxide chemicals as additive if necessary;
 - b) dehydrating the immersed tobacco paper; and
 - c) introducing the processed tobacco paper in the appropriate stage for making the tobacco.
- 4. A method for manufacturing tobacco filter added loess as

-9-

recited in claim 2 further including the steps of;

- a) immersing the tobacco filter into the diluted loess having iron oxide chemicals as additive if necessary;
 - b) dehydrating the immersed tobacco filter; and
- c) introducing the processed tobacco filter in the appropriate stage for making the tobacco.
 - 5. A method for manufacturing a tobacco filter comprising the steps of;
 - a) diluting loess using water;
 - b) extracting the diluted loess using a sieve;
 - c) dehydrating the minute loess using weak heat;
 - d) grinding the dried loess under the particle size of 250 mesh;
 - e) purifying the fine loess using air blow;
- f) blending the purified loess with iron oxide chemicals as additive if necessary.
 - g) introducing the processed loess powder in the appropriate stage for making the tobacco filter.
- 6. A tobacco, tobacco filter and tobacco paper made according to the method of adding iron oxides chemicals (Fe₂O₃. FeO) as additives.
 - 7. A tobacco added loess made according to the method of claim 1.
- 8. A tobacco added loess made according to the method of claim 2.
 - 9. A tobacco paper added loess made according to the method of claim 3.
 - 10. A tobacco filter added loess made according to the method of claim 4.
- 30 **11.** A tobacco filter added loess made according to the method of claim 5.

5

10

15

20

25

INTERNATIONAL SEARCH REPORT

International application No. PCT/KR 99/00050

A. CLASSIFICATION OF SUBJECT MATTER

IPC⁷: A 24 B 15/28, A 24 D 1/02, 3/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC7: A 24 B; A 24 D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPODOC, PAJ, WPI, NPL

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 193 412 A (HEIM et al.), 18 March 1980 (18.03.80), claims.	1,2,4,5,7,8,10,11
A	WO 87/06 104 (HARDY L. R. et al.), 22 October 1987 (22.10.87), claims.	1,2,7,8
A	JP 54-062 400 A (GLATZ J. GMBH), 19 May 1979 (19.05.79) (abstract) World Patent Index [online]. London, U.K.: Derwent Publications Ltd. [retrieved on 05 August 1999]. Retrieved from EPO. DW7934, Accession No.79-61972B (34).	3,9
А	JP 56-129 029 A (NISSAN GIRDLER SHOKUBAI et al.), 08 October 1981 (08.10.81) (abstract) World Patent Index [online]. London, U.K.: Derwent Publications Ltd. [retrieved on 05 August 1999]. Retrieved from EPO. DW8147, Accession No.81-86128D (47).	

Further documents are listed in the continuation of Box C.

See patent family annex.

- * Special categories of cited documents:
- "A" document defining the general state of the art which is not considered to be of particular relevance
- E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other
- "P" document published prior to the international filing date but later than the priority date claimed
- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

05 August 1999 (05.08.99)

25 August 1999 (25.08.99)

Date of mailing of the international search report

Name and mailing adress of the ISA/AT Austrian Patent Office Kohlmarkt 8-10; A-1014 Vienna

Facsimile No. 1/53424/200

Authorized officer

Weigerstorfer

Telephone No. 1/53424/221

INTERNATIONAL SEARCH REPORT

International application No. PCT/KR 99/00050

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This inte	rnational search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
2.	Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Inter	mational Searching Authority found multiple inventions in this international application, as follows:
	laims 1-5, 7-11: Specified methods for manufacturing a tobacco, tobacco paper or tobacco filter added loess. Laim 6: A tobacco, tobacco filter and tobacco paper made according to the method of adding iron oxides.
1 2 3. X	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.: 1–5 and 7–11
4.	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims: it is covered by claims Nos.:
Remark o	The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/KR 99/00050

angeführtes Patent do in seam Norweent de	chenbericht Patentholoment comment cited ch report è brevet cité port de recherche	Datum der Veröffentlichung Publication date Date de psblication	Mitglied(er) der Patentfamilie Patent family member(s) Membre(s) de la famille de brevets	Datum der Veröffentlichung Publication date Date de publication
US A	4193412	18-03-1980	74904799096469899997449944777752004055550779918824767779941823734128862265744777996468972266670756222222211793789911823773125555794494477775200405579476557947779947799477994779947799477	9688878799887876111999788878888888888888
WO	8706104		EP A1 265443 EB A0 8609603 WD A1 8706104	09-11-198 04-05-198 21-05-198 22-10-198
JP A2	54062400	19-05-1979	AU A1 30696/77 AU B2 510585 ES A1 463499 ES A5 463499	24-05-197 03-07-198 01-08-197 28-08-197
JP A2	56129029	08-10-1981	keine – none – ri	